Author Index

AHSMANN, E.J.M., BENSCHOP, R.J., DE GRUYL, T.D., FABER, J.A.J., LOKHORST, H.M. & BLOEM, A.C. A novel flow cytometric assay for the quantification of adhesion of subsets within a heterogeneous cell population; analysis of lymphocyte function-associated antigen-1 (LFA-1)-mediated binding of bone marrow-derived primary tumour cells of patients with multiple myeloma, 456

ALLAN, J.E. see SLOBOD, K.S. ALVES, L.M.C. see FIGUEIREDO, F AMBROISE-THOMAS, P. see PICOT, S. AMINO, N. see IWATANI, Y ANDREW, E.M. see Scott, B.B.

APPLEBY, P., TELFORD, G. & NAYLOR, G.B. Suppression of autoimmune disease in NZB/W F1 mice by treatment with the novel immunomodulator BTS 63155, 313

ARIZONO, N. see YAMADA, M. ARMOA, G.R.G. see MACKALL, J.C. ATOMI, Y. see KITAYAMA, J. AYUB, Q. see POURSHAFIE, M.

BAI, G.H. see MACKALL, J.C. BAKKER, K. see JONKER, M.

BAKKER, N.P.M., VAN BESOUW, N., GROENESTEIN, R., JONKER, M. & HART, L.A. 'T The anti-arthritic and immunosuppressive effects of cyclosporin A on collagen-induced arthritis in the rhesus monkey, 318

BARBE, G. see PICOT, S. BARROW, W.W. see POURSHAFIE, M. BAUERNHOFER, T. see STÖGER, H. BECK-SICKINGER, A.G. see WEBER, E. BEEKHUIZEN, H. see VERDEGAAL, E.M.E.

BELLENS, R. see SCHANDENÉ, L BENSCHOP, R.J. see ASHMANN, E.J.M. BENTWICH, Z. see KALINKOVICH, A.

BERDEN, J.H.M. see KRAMERS, C. BERGSTRÖM-MOLLAOGLU, M. see VILLACRES-ERIKSSON, M.

BERNSTEIN, K.A., BOLSHOUN, D. & LEFKOWITH, J.B. Serum glomerular binding activity is highly correlated with renal disease in MRL/lpr mice, 418

BESSLER, H., SIROTA, L., NOTTI, I., MILO, T. & DJALDETTI, M. IL-2 receptor gene expression and IL-2 production by human preterm newborns' cells, 479

BISHOP, S.A., GRUFFYDD-JONES, T.J., HARBOUR, D.A. & STOKES, C.R. Programmed cell death (apoptosis) as a mechanism of cell death in peripheral blood mononuclear cells from cats infected with feline immunodeficiency virus (FIV), 65

BLOEM, A.C. see AHSMANN, E.J.M. BLOKLAND, I. see VERDEGAAL, E.M.E. BOERSMA, W.J.A. see HOEFAKKER, S. BOLSHOUN, D. see BERNSTEIN, K.A. BONNEVIE-NIELSEN, V. see GERDES, A.-M.

BORNE, A.E.G. KR. VON DEM see DOLMAN, K.M.

BOUDIN, C. see PICOT, S. BREIT, S.N. see MA. J.

Brenner, B.G., Gryllis, C., Gornitsky, M. & Wainberg, M.A. Changes in natural immunity during the course of HIV-1 infection,

BRESNIHAN, B. see CALLAGHAN, M. BRESNIHAN, B. see YANNI, G.

BROLIDEN, K., SIEVERS, E., TOVO, P.A., MOSCHESE, V., SCARLATTI, G., BROLIDEN, P.A., FUNDARO, C. & Rossi, P. Antibody-dependent cellular cytotoxicity and neutralizing activity in sera of HIV-1infected mothers and their children, 56

BROLIDEN, P.A. see BROLIDEN, K.

BURKART, V. & KOLB, H. Protection of islet cells from inflammatory cell death in vitro, 273

BURSTEIN, R. see KALINKOVICH, A.

CALLAGHAN, M., WHELAN, A., FEIGHERY, C. & BRESNIHAN, B. IL-2 enhances polyclonal IgM but not IgM-rheumatoid factor synthesis by activated human peripheral blood B cells, 212

CAMPBELL, R.D. see SACKS, S. CAPEL, P. see SCHANDENÉ, L.

CARREIRA, P.E. see GOMEZ-REINO, J.J.

CASH, E. see ROTT, O.

CAVALLIN, F., TRALDI, A. & ZAMBELLO, R. Phenotypical and functional evaluation of CD8⁺/S6F1⁺ T lymphocytes in haemophiliac individuals with HIV-1 infection, 51

CENTELLES, J.J. see MARTIN, M.

CHARGELEGUE, D., O'TOOLE, C.M. & COLVIN, B.T. A longitudinal study of the IgG antibody response to HIV-1 p17 gag protein in HIV-1 patients with haemophilia: titre and avidity, 331

CHEN, P.P. see DALEY, M.D.

CHEN, S.-L. see MA, J.

CHEN, X. & MA, B.-L. Trichosanthin, an initiator of the alternative complement activation pathway, 248

CHOI-MIURA, N.-H., SAKAMOTO, T., OHTAKI, S., NAKAMURA, H., ISHIZAWA, S., TAKAGI, Y., GOMI, K. & TOMITA, M. Elevated complement activities of sera from patients with high density lipoprotein deficiency (Tangier disease): the presence of normal level of clusterin and the possible implication in the atherosclerosis, 242

CHUIDIAN, F. see MACKALL, J.C. CHUMPITAZI, B. see PICOT, S. CLAASSEN, E. see HOEFAKKER, S. COLOMER, D. see MARTIN, M. COLVIN, B.T. see CHARGELEGUE, D. CORRAH, T. see WHITTLE, H. CROSSAN, J.F. see WOJCIAK, B. CROTTY, B. see DALTON, H.R.

DADDONA, P.E. see JONKER, M.

CRUSIAUX, A. see SCHANDENÉ, L.

DALEY, M.D., MISENER, V., OLEE, T., CHEN, P.P. & SIMINOVITCH, K.A. Genetic analysis of the variable region genes encoding a monospecific human natural anti-DNA antibody, 11

DALTON, H.R., DIPAOLO, M.C., SACHDEV, G.K., CROTTY, B., HOANG, P. & JEWELL, D.P. Human colonic intraepithelial lymphocytes from patients with inflammatory bowel disease fail to down-regulate proliferative responses of primed allogeneic peripheral blood mononuclear cells after rechallenge with antigens, 97

DANIEL, V., SÜSAL, C., WEIMER, R., ZIMMERMANN, R., HUTH-KÜHNE, A. & OPELZ, G. Association of T cell and macrophage dysfunction with surface gp120-immunoglobulin-complement complexes in HIVinfected patients, 152

DANKERT, J. see PANNEKOEK, Y DAVIES, E.T. see MAHALINGAM, M. DEEN, C. see HOEFAKKER, S

DE GRUYL, T.D. see ASHMANN, E.J.M.

DELORON, P. see PICOT, S. DENIS, M. see WANG, J.M. DEVOS, R. see SCHANDENÉ, L. DIPAOLO, M.C. see DALTON, H.R.

DJALDETTI, M. see BESSLER, H.

DOLMAN, K.M., STEGEMAN, C.A., VAN DE WIEL, B.A., HACK, C.E., BORNE, A.E.G. KR. VON DEM, KALLENBERG, C.G.M. & GOLD-SCHMEDING, R. Relevance of classic anti-neutrophil cytoplasmic autoantibody (C-ANCA)-mediated inhibition of proteinase 3-α1antitrypsin complexation to disease activity in Wegener's granulomatosis, 405

DONADILLE, A. see PICOT, S. DREXHAGE, H.A. see STÖGER, H. DUFF, G. see YANNI, G.

- ECHEVARNE, F. see MARTIN, M. EGBOGA, A. see WHITTLE, H. ENGELMANN, H. see KALINKOVICH, A. ERVE, E.H.M. VAN'T see HOEFAKKER, S. EWAN, P.W. see ZHANG, W.
- FABER, J.A.J. see AHSMANN, E.J.M. FALSER, N. see HUEMER, H.P. FEIGHERY, C. see CALLAGHAN, M.
- FEIGHERY, C. see YANNI, G. FIGUEIREDO, F., ALVES, L.M.C. & SILVA, C.L. Tumour necrosis factor production in vivo and in vitro in response to Paracoccidioides
- brasiliensis and the cell wall fractions thereof, 189 FOLKERS, G. see WEBER, E. FORTE, M. see HAZLEWOOD, M. FOURNIER, M. see WANG, J.M. FRANCO, R. see MARTIN, M.
- FRIST, W.H. see ZHAO, X.-M. FUKUROI, T. see NOMURA, S. FUNDARO, C. see BROLIDEN, K.
- GARRAUD, O. see PERRAUT, R. GAVOILLE, S. see PERRAUT, R.
- GERDES, A.-M., HORDER, M. & BONNEVIE-NIELSEN, V. Increased IFN-αinduced sensitivity but reduced reactivity of 2',5'-oligoadenylate synthetase (2,5AS) in trisomy 21 blood lymphocytes, 93
- GIUDICE, G. DEL see PERRAUT, R. GOLDMAN, M. see SCHANDENÉ, L.
- GOLDSCHMEDING, R. see DOLMAN, K.M. GOMEZ-REINO, J.J., SANDBERG, M., CARREIRA, P.E. & VUORIO, E. Expression of types I, III and IV collagen genes in fibrotic skin and nerve lesions of toxic oil syndrome patients, 103
- GOMI, K. see CHOI-MIURA, N.-H. GOODALL, M. see HAZLEWOOD, M. GORNITSKY, M. see BRENNER, B.G.
- GRANT, M.D., SMAILL, F.M. & ROSENTHAL, K.L. Lysis of CD4+ lymphocytes by non-HLA-restricted cytotoxic T lymphocytes from HIV-infected individuals, 356
- GRAUERT, M.R., HOUDAYER, M. & HONTEBEYRIE-JOSKOWCIZ, M. Trypanosoma cruzi infection enhances polyreactive antibody response in an acute case of human Chagas' disease, 85
- GROENESTEIN, R. see BAKKER, N.P.M. GRUFFYDD-JONES, T.J. see BISHOP, S.A. GRYLLIS, C. see BRENNER, B.G. GUN, B.T.F.V. D. see SPRONK, P.E. GYSIN, J. see PERRAUT, R.
- HACK, C.E. see DOLMAN, K.M. HAMBLIN, A.S. see PALMER, S.
- HARBOUR, D.A. see BISHOP, S.A. HARPAZ, N. see KALINKOVICH, A.
- HARRIS, E.N. see PIERANGELI, S.S.
- HART, L.A. 'T see BAKKER, N.P.M.
- HAZLEWOOD, M., NUSRAT, R., KUMARARATNE, D.S., GOODALL, M., RAYKUNDALIA, C., WANG, DA GONG., JOYCE, H.J., MILFORD-WARD, A., FORTE, M. & PAHOR, A. The acquisition of anti-pneumococcal capsular polysaccharide Haemophilus influenzae type b and tetanus toxoid antibodies, with age, in the UK, 157
- HELLMER, G. see STURFELT, G. HERZOG, S. see ROTT, O.
- HIDAKA, Y. see IWATANI, Y HOANG, P. see DALTON, H.R.
- HOEFAKKER, S., ERVE, E.H.M. VAN'T, DEEN, C., VAN DEN EERTWEGH, A.J.M., BOERSMA, W.J.A., NOTTEN, W.R.F. & CLAASSEN, E. Immunohistochemical detection of co-localizing cytokine and antibody producing cells in the extrafollicular area of human palatine tonsils,
- HONTEBEYRIE-JOSKOWCIZ, M. see GRAUERT, M.R.
- HOUDAYER, M. see GRAUERT, M.R.
- HORDER, M. see GERDES, A.-M.
- HUEMER, H.P., LARCHER, C., PRODINGER, W.M., PETZER, A.L., MIT-TERER, M. & FALSER, N. Determination of soluble CD21 as a parameter of B cell activation, 195

- HUGUET, J. see MARTIN, M. HUTH-KÜHNE, A. see DANIEL, V.
- ICHIKAWA, K. see IGARASHI, M.
- IGARASHI, M., MATSUURA, E., IGARASHI, Y., NAGAE, H., MATSUURA, Y., ICHIKAWA, K., YASUDA, T., VOELKER, D.R. & KOIKE, T. Expression of anticardiolipin cofactor, human β_2 -glycoprotein I, by a recombinant baculovirus/insect cell system, 19
- IGARASHI, Y. see IGARASHI, M.
- ISENBERG, D.A. see TWOMEY, B.M.
- ISHIZAWA, S. see CHOI-MIURA, N.-H.
- IULIUCCI, J. see JONKER, M. IWATANI, Y., HIDAKA, Y., MATSUZUKA, F., KUMA, K. & AMINO, N. Intrathyroidal lymphocyte subsets, including unusual CD4+CD8+ cells and CD3loTCRαβlo/- CD4-CD8 cells, in autoimmune thyroid disease, 430
- JEWELL, D.P. see DALTON, H.R.
- JONKER, M. see BAKKER, N.P.M. JONKER, M., SLINGERLAND, W., TREACY, G., VAN EERD, P., PAK, K.Y., WILSON, E., TAM, S., BAKKER, K., LOBUGLIO, A.F., RIEBER, P., RIETHMULLER, G., DADDONA, P.E. & IULIUCCI, J. In vivo treatment with a monoclonal chimeric anti-CD4 antibody results in prolonged
- depletion of circulating CD4+ cells in chimpanzees, 301 JONSSON, H. see STURFELT, G. JOYCE, H.J. see HAZLEWOOD, M.
- JUJI, T. see KITAYAMA, J.
- KAGAWA, H. see NOMURA, S.
- KAHAN, M. see MURISON, J.G. KALINKOVICH, A., LIVSHITS, G., ENGELMANN, H., HARPAZ, N., BUR-STEIN, R., KAMINSKY, M., WALLACH, D. & BENTWICH, Z. Soluble tumour necrosis factor receptors (sTNF-R) and HIV infection:
- correlation to CD8+ lymphocytes, 350 KALLENBERG, C.G.M. see DOLMAN, K.M.
- KALLENBERG, C.G.M. see KRAMERS, C
- KALLENBERG, C.G.M. see SPRONK, P.E.
- KAMINSKY, M. see KALINKOVICH, A.
- KAWAKATSU, T. see NOMURA, S.
- KIDO, H. see NOMURA, S.
- KING, N. see Ma, J.
- KITAYAMA, J., ATOMI, Y., NAGAWA, H., KURODA, A., MUTOH, T., MINAMI, M. & JUJI, T. Functional analysis of TCR γδ⁺ T cells in tumour-infiltrating lymphocytes (TIL) of human pancreatic cancer, 442
- KOIKE, T. see IGARASHI, M.
- KOKAWA, T. see NOMURA, S.
- KOLB, H. see BURKART, V
- KRAMERS, C., TERMAAT, R.M., TER BORG, E.J., VAN BRUGGEN, M.C.J., KALLENBERG, C.G.M. & BERDEN, J.H.M. Higher anti-heparan sulphate reactivity during systemic lupus erythematosus (SLE) disease exacerbations with renal manifestations; a long term prospective analysis, 34
- KRA-OZ, Z., LORBER, M., SHOENFELD, Y. & SCHARFF, Y. Inhibitor(s) of natural anti-cardiolipin autoantibodies, 265
- KUMA, K. see IWATANI, Y
- KUMARARATNE, D.S. see HAZLEWOOD, M.
- KURODA, A. see KITAYAMA, J.
- KÅBERG, H. see VILLACRES-ERIKSSON, M.
- LACHMANN, P.J. see ZHANG, W.
- LAMBERT, P.-H. see PERRAUT, R.
- LARCHER, C. see HUEMER, H.P.
- LATCHMAN, D.S. see TWOMEY, B.M.
- LAVIOLETTE, M. see WANG, J.M.
- LEFKOWITH, J.B. see BERNSTEIN, K.A.
- LEHMANN, H.P. see WEBER, E.
- LIMBURG, P.C. see SPRONK, P.E. LING, N.R. Pitfalls in the measurement of soluble forms of cell surface
- receptors, 139 LIVSHITS, G. see KALINKOVICH, A.
- LOBUGLIO, A.F. see JONKER, M.
- LOCKEY, R.F. see MATSUMOTO, T.
- LOKHORST, H.M. see AHSMANN, E.J.M.

LONDEI, M. see MURISON, J.G. LORBER, M. see KRA-OZ, Z. LÖVGREN, K. see VILLACRES-ERIKSSON, M. LUSSOW, A.R. see PERRAUT, R. LYBIN, M. see SCHANDENÉ, L.

MA, B.-L. see CHEN, X.

MA, J., KING, N., CHEN, S.-L., PENNY, R. & BREIT, S.N. Antibody penetration of viable human cells; anti-RNP antibodies binding to RNP antigen expressed on cell surface, which may mediate the antibody internalization, 396

MACKALL, J.C., BAI, G.H., ROUSE, D.A., ARMOA, G.R.G., CHUIDIAN, F., NAIR, J. & MORRIS, S.L. A comparison of the T cell delayed-type hypersensitivity epitopes of the 19-kD antigens from Mycobacterium tuberculosis and Myco. intracellulare using overlapping synthetic pentides 172

MADDEN, M. see PANZER, S. MAEDA, T. see MATSUKAWA, A

MAGEED, R.A.K. see Scott, B.B.

MAHALINGAM, M., PEAKMAN, M., DAVIES, E.T., POZNIAK, A., MCMA-NUS, T.J. & VERGANI, D. T cell activation and disease severity in HIV infection, 337

MAINI, R.N. see Scott, B.B.

MANYONDA, I.T., PEREIRA, R.S., PEARCE, J.M. & SHARROCK, C.E.M. Limiting dilution analysis of the allo-MHC anti-paternal cytotoxic T cell response I: normal primigravid and multiparous pregnancies, 126

MANYONDA, I.T., PEREIRA, R.S., PEARCE, J.M. & SHARROCK, C.E.M. Limiting dilution analysis of the allo-MHC anti-paternal cytotoxic T cell response II: recurrent spontaneous abortion and the effect of immunotherapy, 132

MARRIOTT, J.B. & OLIVEIRA, D.B.G. Antimitochondrial autoantibodies in anti-glomerular basement membrane disease, 259

MARTIN, J. see SACKS, S.

MARTIN, M., CENTELLES, J.J., HUGUET, J., ECHEVARNE, F., COLOMER, D., VIVES-CORRONS, J.L. & FRANCO, R. Surface expression of adenosine deaminase in mitogen-stimulated lymphocytes, 286

MARX, U. see TERNESS, P. MATILE, H. see PERRAUT, R.

MATSUKAWA, A., OHKAWARA, S., MAEDA, T., TAKAGI, K. & YOSHI-NAGA, M. Production of IL-1 and IL-1 receptor antagonist and the pathological significance in lipopolysaccharide-induced arthritis in rabbits, 206

MATSUKI, K. see PANZER, S.

MATSUMOTO, T., MIIKE, T., NELSON, R.P., TRUDEAU, W.L., LOCKEY, R.F. & YODOI, J. Elevated serum levels of IL-8 in patients with HIV infection, 149

MATSUURA, E. see IGARASHI, M.

MATSUURA, Y. see IGARASHI, M.

MATSUZUKA, F. see IWATANI, Y.

MCCALLUM, S. see TWOMEY, B.M.

McManus, T.J. see Mahalingam, M.

MIIKE, T. see MATSUMOTO, T.

MILFORD-WARD, A. see HAZLEWOOD, M.

MILLER, G.G. see ZHAO, X.-M.

MILO, T. see BESSLER, H. MINAMI, M. see KITAYAMA, J.

MISENER, V. see Daley, M.D.

MITTERER, M. see HUEMER, H.P.

MIYAKE, T. see NOMURA, S. MIYAZAKI, Y. see Nomura, S.

MOREIN, B. see VILLACRES-ERIKSSON, M.

MORGAN, G. see WHITTLE, H.

MORIKAWA, S. see MORIKAWA, K.

MORIKAWA, K., OSEKO, F. & MORIKAWA, S. Immunosuppressive property of bromocriptine on human B lymphocyte function in vitro,

MORRIS, S.L. see MACKALL, J.C.

MOSCHESE, V. see BROLIDEN, K.

MURISON, J.G., QUARATINO, S., KAHAN, M., VERHOEF, A. & LONDEI, M. Definition of unique traits of human CD4⁻CD8⁻ αβ T cells, 464 MUTOH, T. see KITAYAMA, J.

NAGAE, H. see IGARASHI, M. NAGAWA, H. see KITAYAMA, J. NAIR, J. see MACKALL, J.C.

NAKAMURA, H. see CHOI-MIURA, N.-H.

NAKAZAWA, M. see YAMADA, M.

NAMIAS, B. see SCHANDENÉ, L.

NAYLOR, G.B. see APPLEBY, P.

NELSON, R.P. see MATSUMOTO, T.

Nomura, S., Miyazaki, Y., Miyake, T., Yamaguchi, K., Kido, H., KAWAKATSU, T., FUKUROI, T., KAGAWA, H., SUZUKI, M., YANABU, M. & Kokawa, T. IgG inhibits the increase of platelet-associated C1 stimulated by anti-platelet antibodies, 452

NOTTI, I. see BESSLER, H.

NOVOGRODSKY, A. see Tsuji, A.

NUALLÁIN, E.M. Ó, PURI, P. & REEN, D.J. Early induction of IL-1 receptor antagonist (IL-1Ra) in infants and children undergoing surgery, 218

NUSRAT, R. see HAZLEWOOD, M.

ODA, M. see YAMADA, M.

OHKAWARA S SEE MATSUKAWA A

OHTAKI, S. see CHOI-MIURA, N.-H.

OLEE, T. see DALEY, M.D.

OLIVEIRA, D.B.G. see MARRIOTT, J.B.

OPELZ, G. see DANIEL, V.

OPELZ, G. see TERNESS, P.

OSAKI, T. see YONEDA, K.

OSEKO, F. see MORKAWA, K.

O'TOOLE, C.M. see CHARGELEGUE, D.

PAHOR, A. see HAZLEWOOD, M.

PAK, K.Y. see JONKER, M.

PALMER, S. & HAMBLIN, A.S. Increased CD11/CD18 expression on the peripheral blood leucocytes of patients with HIV disease: relationship to disease severity, 344

PANNEKOEK, Y., SCHUURMAN, I.G.A., DANKERT, J. & VAN PUTTEN, J.P.M. Immunogenicity of the meningococcal stress protein MSP63 during natural infection, 377

PANZER, S., MADDEN, M. & MATSUKI, K. Interaction of IL-1B, IL-6 and tumour necrosis factor-alpha (TNF-α) in human T cells activated by murine antigens, 471

PEAKMAN, M. see MAHALINGAM, M.

PEARCE, J.M. see MANYONDA, I.T.

PENNY, R. see Ma, J.

PEREIRA, R.S. see MANYONDA, I.T.

PERRAUT, R., LUSSOW, A.R., GAVOILLE, S., GARRAUD, O., MATILE, H., TOUGNE, C., VAN EMBDEN, J., VAN DER ZEE, R., LAMBERT, P.-H., GYSIN, J. & GIUDICE, G. DEL. Successful primate immunization with peptides conjugated to purified protein derivative or mycobacterial heat shock proteins in the absence of adjuvants, 382

PETZER, A.L. see HUEMER, H.P.

PEYRON, F. see PICOT, S.

PICOT, S., PEYRON, F., DELORON, P., BOUDIN, C., CHUMPITAZI, B., BARBE, G., VUILLEZ, J.P., DONADILLE, A. & AMBROISE-THOMAS, P. Ring-infected erythrocyte surface antigen (Pf/155RESA) induces tumour necrosis factor-alpha production, 184

PIERANGELI, S.S. & HARRIS, E.N. Induction of phospholipid-binding antibodies in mice and rabbits by immunization with human β_2 glycoprotein 1 or anticardiolipin antibodies alone, 269

PIERANGELI, S.S. & SONNENFELD, G. Treatment of murine macrophages with murine interferon-gamma and tumour necrosis factor-alpha enhances uptake and intracellular killing of Pseudomonas aeruginosa,

POURSHAFIE, M., AYUB, Q. & BARROW, W.W. Comparative effects of Mycobacterium avium glycopeptidolipid and lipopeptide fragment on the function and ultrastructure of mononuclear cells, 72

POZNIAK, A. see MAHALINGAM, M.

PRODINGER, W.M. see HUEMER, H.P.

PURI, P. see NUALLÁIN, E.M. O

QUARATINO, S. see Murison, J.G. QUINLAN, W. see YANNI, G.

RAYKUNDALIA, C. see HAZLEWOOD, M.

- REEN, D.J. see NUALLAIN, E.M. Ó
- RIEBER, P. see JONKER, M.
- RIETHMULLER, G. see JONKER, M.
- ROELCKE, D. see TERNESS, P.
- ROLFE, M. see WHITTLE, H.
- ROSENTHAL, K.L. see GRANT, M.D.
- ROSSI, P. see BROLIDEN, K.
- ROTT, O., HERZOG, S. & CASH, E. T cell memory specific for self and non-self antigens in rats persistently infected with Borna disease virus,
- ROUSE, D.A. see MACKALL, J.C.
- SABALLY, S. see WHITTLE, H.
- SACHDEV, G.K. see DALTON, H.R.
- SACKS, S., ZHOU, W., CAMPBELL, R.D. & MARTIN, J. C3 and C4 gene expression and interferon-gamma-mediated regulation in human glomerular mesangial cells, 411
- SADIGH, S. see SCOTT, B.B.
- SAKAMOTO, T. see CHOI-MIURA, N.-H.
- SAMONIGG, H. see STÖGER, H.
- SANDBERG, M. see GOMEZ-REINO, J.J.
- SANDILANDS, G. see TERNESS, P.
- SCARLATTI, G. see BROLIDEN, K.
- SCHANDENÉ, L., NAMIAS, B., CRUSIAUX, A., LYBIN, M., DEVOS, R., VELU, T., CAPEL, P., BELLENS, R. & GOLDMAN, M. IL-5 in post-traumatic eosinophilic pleural effusion, 115
- SCHARFF, Y. see KRA-OZ, Z.
- SCHMID, M. see STÖGER, H.
- SCHUURMAN, I.G.A. see PANNEKOEK, Y.
- SCOTT, B.B., SADIGH, S., STOW, M., MAGEED, R.A.K., ANDREW, E.M. & MAINI, R.N. Molecular mechanisms resulting in pathogenic antimouse erythrocyte antibodies in New Zealand black mice, 26
- SHARROCK, C.E.M. see MANYONDA, I.T.
- SHOENFELD, Y. see KRA-OZ, Z.
- SIEVERS, E. see BROLIDEN, K.
- SILVA, C.L. see FIGUEIREDO, F.
- SIMINOVITCH, K.A. see DALEY, M.D.
- SIROTA, L. see BESSLER, H.
- SJÖHOLM, A.G. see STURFELT, G.
- SLINGERLAND, W. see JONKER, M.
- SLOBOD, K.S. & ALLAN, J.E. Parainfluenza type 1 virus-infected cells are killed by both CD8+ and CD4+ cytotoxic T cell precursors, 363
- SMAILL, F.M. see GRANT, M.D. SONNENFELD, G. see PIERANGELI, S.S.
- SPRONK, P.E., GUN, B.T.F.V.D., LIMBURG, P.C. & KALLENBERG, C.G.M. B cell activation in clinically quiescent systemic lupus erythematosus (SLE) is related to immunoglobulin levels, but not to levels of anti-dsDNA, nor to concurrent T cell activation, 39
- STAHEL, R.A. see WEBER, E.
- STAINES, N.A. Whither genetic analysis of human autoantibodies?, 9
- STEGEMAN, C.A. see DOLMAN, K.M.
- STENZEL, K.H. see TSUII, A.
- STÖGER, H., WILDERS-TRUSCHNIG, M., SAMONIGG, H., SCHMID, M., BAUERNHOFER, T., TIRAN, A., TAS, M. & DREXHAGE, H.A. The presence of immunosuppressive 'p15E-like' factors in the serum and urine of patients suffering from malign and benign breast tumours,
- STOKES, C.R. see BISHOP, S.A.
- STOW, M. see SCOTT, B.B.
- STURFELT, G., JONSSON, H., HELLMER, G. & SJÖHOLM, A.G. Clustering of neutrophil leucocytes in serum: possible role of C1q-containing immune complexes, 237
- SÜSAL, C. see DANIEL, V.
- SUZUKI, M. see NOMURA, S.
- SYMONS, J. see YANNI, G.
- TAKAGI, K. see MATSUKAWA, A.
- TAKAGI, Y. see CHOI-MIURA, N.-H.
- TAM, S. see JONKER, M.
- TAS. M. see STÖGER. H.
- TELFORD, G. see APPLEBY, P.
- TER BORG, E.J. see KRAMERS, C.

- TERMAAT, R.M. see KRAMERS, C.
- TERNESS, P., MARX, U., SANDILANDS, G., ROELCKE, D., WELSCHOF, M. & OPELZ, G. Suppression of anti-erythrocyte autoantibody-producing B cells by a physiological IgG-anti-F(ab')2 antibody and escape from suppression by tumour transformation; a model relevant for the pathogenesis of autoimmune haemolytic anaemia, 253
- THOMPSON, R.A. Clinical immunology: is it clinical science or medical practice?, 299
- TIRAN, A. see STÖGER, H.
- TODD, J. see WHITTLE, H.
- TOMITA, M. see CHOI-MIURA, N.-H.
- TOUGNE, C. see PERRAUT, R.
- Tovo, P.A. see Broliden, K.
- TRALDI, A. see CAVALLIN, F.
- TREACY, G. see JONKER, M.
- TRUDEAU, W.L. see MATSUMOTO, T.
- TSUJI, A., WANG, J., STENZEL, K.H. & NOVOGRODSKY, A. Immune stimulatory and anti-tumour properties of haemin, 308
- TWOMEY, B.M., MCCALLUM, S., ISENBERG, D.A. & LATCHMAN, D.S. Elevation of heat shock protein synthesis and hsp gene transcription during monocyte to macrophage differentiation of U937 cells, 178
- UCHIKAWA, R. see YAMADA, M.
- UETA, E. see YONEDA, K.
- VAN BESOUW, N. see BAKKER, N.P.M.
- VAN BRUGGEN, M.C.J. see KRAMERS, C.
- VAN DEN EERTWEGH, A.J.M. see HOEFAKKER, S.
- VAN DER ZEE, R. see PERRAUT, R.
- VAN DE WIEL, B.A. see DOLMAN, K.M. VAN EERD, P. see JONKER, M.
- VAN EMBDEN, J. see PERRAUT, R
- VAN FURTH, R. see VERDEGAAL, E.M.E.
- VAN PUTTEN, J.P.M. see PANNEKOEK, Y.
- VELU, T. see SCHANDENÉ, L.
- VERDEGAAL, E.M.E., BEEKHUIZEN, H., BLOKLAND, I. & VAN FURTH, R. Increased adhesion of human monocytes to IL-4-stimulated human venous endothelial cells via CD11/CD18, and very late antigen-4 (VLA-4)/vascular cell adhesion molecule-1 (VCAM-1)-dependent mechanisms, 292
- VERGANI, D. see MAHALINGAM, M.
- VERHOEF, A. see MURISON, J.G.
- VILLACRES-ERIKSSON, M., BERGSTRÖM-MOLLAOGLU, M., KÅBERG, H., LÖVGREN, K. & MOREIN, B. The induction of cell-associated and secreted IL-1 by iscoms, matrix or micelles in murine splenic cells, 120 VIVES-CORRONS, J.L. see MARTIN, M.
- VLADUTIU, A.O. The severe combined immunodeficient (SCID) mouse as a model for the study of autoimmune diseases, 1
- VOELKER, D.R. see IGARASHI, M.
- VUILLEZ, J.P. see PICOT, S.
- VUORIO, E. see GOMEZ-REINO, J.J.
- WAIBEL, R. see WEBER, E.
- WAINBERG, M.A. see BRENNER, B.G.
- WALLACH, D. see KALINKOVICH, A.
- WANG, DA GONG. see HAZLEWOOD, M.
- WANG, J. see TSUJI, A.
- WANG, J.M., DENIS, M., FOURNIER, M. & LAVIOLETTE, M. Cyclosporin A increases the pulmonary eosinophilia induced by inhaled Aspergillus antigen in mice, 323
- WAWRZYNCZAK, E.J. see WEBER, E.
- WEBER, E., LEHMANN, H.P., BECK-SICKINGER, A.G., WAWRZYNCZAK, E.J., WAIBEL, R., FOLKERS, G. & STAHEL, R.A. Antibodies to the protein core of the small cell lung cancer workshop antigen cluster-w4 and to the leucocyte workshop antigen CD24 recognize the same short protein sequence leucine-alanine-proline, 279
- WEIMER, R. see DANIEL, V
- WELSCHOF, M. see TERNESS, P.
- WHELAN, A. see CALLAGHAN, M.
- WHELAN, A. see YANNI, G.
- WHITTLE, H., EGBOGA, A., TODD, J., MORGAN, G., ROLFE, M., SABALLY, S., WILKINS, A. & CORRAH, T. Immunological responses of Gambians in relation to clinical stage of HIV-2 disease, 45

- WHO/IUIS/IAACI REPORT. Clinical immunology: guidelines for its organization, training and certification: relationships with allergology and other medical disciplines, 484
- WILDERS-TRUSCHNIG, M. see STÖGER, H.
- WILKINS, A. see WHITTLE, H.
- WILSON, E. see JONKER, M.
- WOJCIAK, B. & CROSSAN, J.F. The accumulation of inflammatory cells in synovial sheath and epitenon during adhesion formation in healing rat flexor tendons. 108
- Yamada, M., Uchikawa, R., Nakazawa, M., Oda, M. & Arizono, N. Dissociation of specific and total IgE antibody responses following repeated low-level infections with *Nippostrongylus brasiliensis* in rats, 80
- YAMAGUCHI, K. see NOMURA, S.
- YAMAMOTO, T. see YONEDA, K.
- YANABU, M. see NOMURA, S.
- YANNI, G., WHELAN, A., FEIGHERY, C., QUINLAN, W., SYMONS, J., DUFF, G. & BRESNIHAN, B. Contrasting levels of *in vitro* cytokine production

- by rheumatoid synovial tissues demonstrating different patterns of mononuclear cell infiltration, 387
- YASUDA, T. see IGARASHI, M.
- YEOH, T.-K. see ZHAO, X.-M.
- YODOI, J. see MATSUMOTO, T.
- YONEDA, K., OSAKI, T., YAMAMOTO, T. & UETA, E. Effects of tumour necrosis factor-alpha (TNF-α), IL-1β and monocytes on lymphokine-activated killer (LAK) induction from natural killer (NK) cells and T lymphocytes, 229
- YOSHINAGA, M. see MATSUKAWA, A.
- ZAMBELLO, R. see CAVALLIN, F.
- ZHANG, W., EWAN, P.W. & LACHMANN, P.J. The paraproteins in systemic capillary leak syndrome, 424
- ZHAO, X.-M., FRIST, W.H., YEOH, T.-K. & MILLER, G.G. Expression of cytokine genes in human cardiac allografts: correlation of IL-6 and transforming growth factor-beta (TGF-β) with histological rejection, 448
- ZHOU, W. see SACKS, S.
- ZIMMERMANN, R. see DANIEL, V.

Subject Index

2',5'-oligoadenylate synthetase, 93

al-antitrypsin, 405 αβ, 464 abortifacient, 248 ABPA, 323 aCL-ELISA, 265 adenosine deaminase, 286 adhesion, 456 adhesion formation, 108 adhesion molecules, 292 AIDS, 56, 65, 142, 149, 248, 356 allo-MHC, 126, 132 anti-CD4, 301 anti-DNA antibodies, 34 anti-DNA antibody, 418 anti-HS reactivity, 34 anti-α-Gal antibodies, 85 anti-\(\beta_2\) glycoprotein 1 antibodies, 269 anti-dsDNA, 39 anti-glomerular basement membrane disease, 259 anti-inflammatory substances, 273 anti-mitochondrial antibodies, 259 anti-phospholipid antibodies, 265 anti-platelet antibody, 452 anti-tumour, 308 antibody, 56 antibody penetration, 396 antibody response, 331 antibody-dependent cellular cytotoxicity, 56 antibody-forming cells, 223 anticardiolipin antibodies, 19, 269 antigen presentation, 120 antiphospholipid antibodies, 269 antiphospholipid syndrome, 269 apoptosis, 65 Aspergillus fumigatus, 323 atherosclerosis, 242 autoantibodies, 26, 265 autoantibody, 11, 253 autoimmunity, 1, 85, 253 autoreactivity, 370 avidity, 331

β-glucan, 189 β₂ glycoprotein 1, 269 β₂-GPI, 265 B cell activation, 195 B cells, 212, 253 B lymphocyte, 200 B lymphocytes, 26 baculovirus expression, 19 Borna disease virus, 370 breast tumours, 437 bromocriptine, 200 BTS 3155, 313

C3, 411 C4, 411 C-ANCA, 405 cardiolipin, 265 CD11/CD18, 344 CD14, 184 CD21, 195 CD24 antigen, 279 CD4 cells, 356 CD4⁺ lymphocytes, 152 CD4⁺CD8⁺ cells, 430 CD4-CD8- cells, 430 CD8 and CD56, 142 CD8 cells, 356 CD8 lymphocyte subsets, 51 CD8+ lymphocytes, 350 cell surface RNP, 396 Chagas' disease, 85 chimeric, 301 clinical stage, 45 cluster-w4 antigen, 279 clusterin, 242 collagen arthritis, 318 collagen gene expression, 103 complement, 242 complement activation, 248 complement component Clq, 237 complementarity-determining region, 26 cord blood mononuclear cells, 479 CR2, 195 Crohn's disease, 97 cross-reactivity, 34 cyclosporin A, 200, 313, 318, 323 cytokine interaction, 471 cytokine production in vivo, 206 cytokine-producing cells, 223 cytokines, 165, 387 cytotoxic T cell, 363 cytotoxic T lymphocyte precursor, 126, 132 cytotoxic T lymphocytes, 356 cytotoxicity, 308

delayed-type hypersensitivity, 172 dexamethasone, 323 disease progression, 337 double negative, 464

ELISA, 157 endothelial cells, 292 eosinophil, 115 epitope mapping, 279 Epstein-Barr virus, 195

Fc portion, 452 feline immunodeficiency virus, 65 fibrosis, 103 FK506, 200 flow cytometric adhesion assay, 456 flow cytometry, 286

gene expression, 411 gene regulation, 178 glycolipids, 72 glycosylation, 19 gp120, 152 Graves' disease, 430 GroEL, 377

haemin, 308 haemophilia, 152 Haemophilus influenzae type b, 157 Hashimoto's disease, 430 HDL, 242 heart transplantation, 448 heat shock proteins, 178, 382 histochemistry, 223
HIV, 152, 337, 344, 356
HIV-1, 56
HIV-1 gag, 331
HIV-1 infection, 51
HIV-2, 45
HLA restriction, 356
hsp60, 377
human, 223, 464
human memory T cells, 363
human monocytes, 292
hypergammaglobulinaemia, 39

idiopathic thrombocytopenic purpura, 452 IgE, 80 IgG. 452 IgG response, 377 IgG subclasses, 157 IgG1, 80 IgV_H genes, 26 IL-1, 120 IL-1Ra, 218 IL-1B, 218, 229 IL-2, 212, 308 IL-2 receptor, 479 IL-3, 464 IL-4, 292 IL-5, 115 IL-6, 218, 448 IL-8, 149 immune activation, 337 immune complex, 418 immune complexes, 152, 237 immunity, 184 immunoglobulin V gene, 11 immunological tolerance, 253 immunomodulation, 72 immunopathogenesis, 152 immunoregulation, 253 immunosuppression, 200, 313 immunotherapy, 132 in situ, 223 inflammatory cells, 108 influenza virus, 120 interferon, 165 interferon-alpha receptor, 93 interferon-gamma, 411 iscom, 120 isotype switching, 223

LAK induction, 229 LeuCAMs, 344 leucocyte infiltration, 206 LFA-1, 456 limiting dilution analysis, 126, 132 lupus, 418 lymphocyte activation, 39 lymphocyte subsets, 112 lymphocytes, 1, 108, 286 lymphokine-activated killer cells, 142

macrophage, 72
macrophages, 108, 184, 273
malaria, 184, 382
meningococcal disease, 377
mesangial cells, 411
mitogen stimulation, 286
monkeys, 382
monoclonal antibodies, 51
monoclonal antibody, 26
monoclonal antibody SWA11, 279
monoclonal antibody treatment, 301
monocyte chemotactic responsiveness, 437
monocyte-macrophage differentiation, 178

monocytes, 108, 149, 229
multiparous, 126
multiple myeloma, 456
murine splenocytes, 308
mycobacterial peptides, 172
Mycobacterium avium complex, 72
Mycobacterium intracellulare, 172
Mycobacterium tuberculosis, 172

natural autoantibodies, 85 natural immunity, 11 natural killer cells, 142 Neisseria meningitidis, 377 nephritis, 34, 418 neutralization, 56 neutrophil aggregation, 237 neutrophil glastase, 206 neutrophils, 149 newborns, 479 Nippostrongylus brasiliensis, 80 NZB/W F₁, 313

p15E-like factors, 437 p24 antigenaemia, 331 palatine tonsils, 223 pancreatic cancer, 442 pancreatic islet cells, 273 Paracoccidioides brasiliensis, 189 Paracoccidioidomycosis, 189 parainfluenza virus, 363 paraprotein, 424 pathogenesis, 405 Pf155/RESA, 184 phagocytosis, 165 Plasmodium falciparum, 184 platelet-associated C3, 452 pleural fluid, 115 pneumothorax, 115 polarization assay, 437 primary biliary cirrhosis, 259 primigravid, 126 prognostic markers, 331 programmed cell death, 65 prospective study, 34 proteinase 3, 405 proteoglycan degradation, 206 Pseudomonas aeruginosa, 165 pulmonary eosinophilia, 323

Quil A, 120

RABA, 157
recombinant DNA, 19
recurrent spontaneous abortion, 132
repeated infection, 80
respiratory viruses, 363
rhesus monkey, 318
rheumatoid arthritis, 387
rheumatoid factor, 212
RNP receptor, 396
rubella, 195

SCID mice, 1
scleroderma-like diseases, 103
small cell lung cancer, 279
soluble tumour necrosis factor receptors, 350
Streptococcus pneumoniae, 157
superoxide anion, 206
suppression, 97
surgery, 218
synovial membranes, 387
synthetic peptides, 382
systemic capillary leak syndrome, 424
systemic lupus erythematosus, 34, 39, 237

T and NK cells, 229 T cell activation, 471 T cell homing, 370

T cell memory, 370 T cell receptor, 464 T cell receptor β chain constant region, 448

Terreceptor β chain constant T lymphocyte suppression, 152 TCR $\gamma\delta^+$, 442 TNF- α , 218, 229 Tangier disease, 242

tendon repair, 108

tetanus toxoid, 157 thyroid autoimmunity, 430 total and specific hypergammaglobulinaemia, 323 transforming growth factor-beta, 448 trauma, 115

trichosanthin, 248 trisomy 21, 93

Trypanosoma cruzi, 85

tumour cells, 456

tumour necrosis factor, 184, 189, 344

tumour-infiltrating lymphocyte, 442

U937 cells, 178 ulcerative colitis, 97

vaccines, 382

viral persistence, 370

Wegener's granulomatosis, 405

xenografts, 1

